



**OUR NEW RUBBER
TAPES**

**SPECIALLY DESIGNED FOR CABLE
JACKET REPAIR AND PROTECTION**

Plymouth

plymouthrubber.com

JACKETING REPAIR TAPES



Product	Description	Recommended for	Standard Size
PLYJACK A60 Abrasion Protection Code: 1510	 <p>A heavy duty rubber laminate compound that offers superior abrasion and moisture resistance. Its two mastic layers ensure perfect sealing and faster build up. PLYJACK® A60 is easy to apply and remains flexible even at low temperatures.</p>	Jacket repair on trailing and direct buried cables Abrasion and mechanical protection	38mm x 1,8m 1.5in x 6ft
PLYJACK A70 Abrasion Protection Code: 1502	 <p>A heavy duty rubber laminate compound that offers superior abrasion and moisture resistance. Its two mastic layers ensure perfect sealing and faster build up. PLYJACK® A70's extra thickness provides additional protection for large section cables and very hard environments while remaining flexible and easy to apply.</p>	Jacket repair on trailing and direct buried cables Abrasion and mechanical protection	51mm x 2,2m 2in x 7,2ft
PLYJACK HF60 Halogen Free Code: 1560	 <p>A special rubber laminate compound that results from the halogen free combination of an extra flexible backing with two tacky mastic layers. PLYJACK® HF60 is easy to apply and remains flexible at low temperatures, providing the perfect performance in cable jacket repair applications in a large range of cross sections.</p>	Splicing and cable jacket repair on halogen free cables Abrasion and mechanical protection	38mm x 1,8m 1.5in x 6ft
PLYJACK HF70 Halogen Free Code: 1570	 <p>A special rubber laminate compound that results from the halogen free combination of an extra flexible backing with two tacky mastic layers. PLYJACK® HF70 offers extra thickness and is easy to apply while remaining flexible at low temperatures, providing the perfect performance in cable jacket repair applications.</p>	Splicing and cable jacket repair on halogen free cables Abrasion and mechanical protection	51mm x 2,2m 2in x 7,2ft
PLYJACK F30 Fireproof Code: 1580	 <p>An unsupported, linerless, elastomeric tape possessing superior arc and flame resistance. It has been designed for cable protection in all types of applications when subjected to severe flame conditions, generating a thermally insulating residue for cable protection.</p>	Arc and fire proofing cables and cable splices.	76mm x 6,1m 3in x 20ft
PLYJACK LV50 Excellent Conformability Code: 1550	 <p>This compound combines an all-weather grade vinyl layer with self-fusing mastic, becoming an ideal solution for protection insulation and water sealing. PLYJACK® LV50 offers outstanding conformability making application quicker and easier.</p>	Jacketing and sealing in overhead, underwater and buried applications Insulating in low voltage connections	100mm x 3m 4in x 9,8ft
PLYJACK N30 Chloroprene Jacketing Code: 1530	 <p>A self-amalgamating chloroprene jacketing tape especially formulated for protecting cables against oil, grease and other hydrocarbons. PLYJACK® N30 is chemical and weather resistant and readily conforms to irregular contours forming a permanent and lasting protective outer sheath.</p>	Jacket repair an restoration on chloroprene jacketed cables	38mm x 9,1m 1.5in x 30ft

OUR NEW PRODUCT RANGE ESPECIALLY DESIGNED FOR CABLE JACKETING REPAIR AND PROTECTION

Headquarters & Factories
 Ctra. Salceda km 1,5
 36400 Spain

0034 986 344 148
 info@plymouthrubber.com
 plymouthrubber.com

WE ARE MANUFACTURERS. Don't hesitate to contact us to find out more about alternative products and tailor made solutions.